ELSEVIER

Brain Research 769 (1997) 400–402

BRAIN RESEARCH

Author Index

Abou Jaoude, P.G., see Saadé, N.E. (769) 57
Aguayo, L.G., see Tapia, J.C. (769) 203
Akita, H., Matsuyama, T., Iso, H., Sugita, M. and Yoshida, S.
Effects of oxidative stress on the expression of limbic-specific protease neuropsin and avoidance learning in mice (769) 86
Ameri, A.
Structure-dependent differences in the effects of the *Aconitum* alkaloids lappaconitine, *N*-desacetyllappaconitine and lappaconidine in rat hippocampal slices (769) 36
Araki, H., see Matsuda, S. (769) 321
Arias, J., see López, L. (769) 367
Arias, J.L., see López, L. (769) 367
Atapour, N., see Mansouri, F.A. (769) 119
Atweh, S.F., see Saadé, N.E. (769) 57
Aymard, P., see Poenaru, S. (769) 329

Bajenaru, O., see Poenaru, S. (769) 329
Battaglia, G., see Li, Q. (769) 141
Beaudet, L.N., see Schmidt, R.E. (769) 375
Beraldo, W.T., see Lopes, E.S. (769) 152
Berger, A.J., see Parkis, M.A. (769) 108
Bicker, G., see Seidel, C. (769) 273
Billington, C.J., see Kim, E.-M. (769) 303
Bjursten, L.M., see Zhao, Q. (769) 125
Blessing, W.W., see Zhu, B.-S. (769) 168
Bonfiglio, L., see Sartucci, F. (769) 362
Bowden, C., Cheetham, S.C., Lowther, S., Katona, C.L.E., Crompton, M.R. and Horton, R.W.
Reduced dopamine turnover in the basal ganglia of depressed suicides (769) 135

Cadet, J.L., see Mann, H. (769) 340
Caldarola-Pastuszka, M., see Maswood, N. (769) 13
Calvet, M.-C., see Petite, D. (769) 1
Caprio, J., see Ogawa, K. (769) 263
Carr, L.G., see Liang, Y. (769) 372
Cebrián, J.L., Morán, M.A. and Gómez-Ramos, P.
Association of cholinesterases with amyloid in extracellular neurofibrillary tangles (769) 173
Chase, M.H., see Zhang, J.-H. (769) 196
Cheetham, S.C., see Bowden, C. (769) 135
Chen, Z.-F., Schottler, F. and Lee, K.S.
Neuronal recovery after moderate hypoxia is improved by the calpain inhibitor MDL28170 (769) 188
Churchill, J.D., see Sengelaub, D.R. (769) 256
Cimadevilla, J., see López, L. (769) 367
Coe, C.L., see Reyes, T.M. (769) 29
Cohen, S.M. and Nadler, J.V.
Proline-induced inhibition of glutamate release in hippocampal area CA1 (769) 333
Crompton, M.R., see Bowden, C. (769) 135

Dahlin, L.B., see Zhao, Q. (769) 125
Dall'ava, J., see Poenaru, S. (769) 329
Danielsen, N., see Zhao, Q. (769) 125
Dawson, T.M., see Kriegsfeld, L.J. (769) 66
Dawson, V.L., see Kriegsfeld, L.J. (769) 66
Del Seppia, C., see Sartucci, F. (769) 362
Di Paolo, O.A., see Rosso, S.B. (769) 163
Doležal, V., Lisá, V. and Tuček, S.
Effect of tacrine on intracellular calcium in cholinergic SN56 neuronal cells (769) 219
Dorsey, D.A., see Schmidt, R.E. (769) 375
Duffard, R., see Rosso, S.B. (769) 163
Durlach, J., see Poenaru, S. (769) 329

Emmanouillidis, E., see Poenaru, S. (769) 329
Espinoza, F., see Tapia, J.C. (769) 203
Evangelista de Duffard, A.M., see Rosso, S.B. (769) 163
Evans, P.D., see Reale, V. (769) 309

Fathollahi, Y., see Mansouri, F.A. (769) 119

Garraghty, P.E., see Sengelaub, D.R. (769) 256
Ghione, S., see Sartucci, F. (769) 362
Gibbins, I.L., see Zhu, B.-S. (769) 168
Gómez-Ramos, P., see Cebrián, J.L. (769) 173
González-Pardo, H., see López, L. (769) 367
Grace, M.K., see Kim, E.-M. (769) 303
Gueux, E., see Poenaru, S. (769) 329

Hamoui, S., see Saadé, N.E. (769) 57
Hanada, K., see Ochi, K. (769) 183
Hannan, F., see Reale, V. (769) 309
Hawver, D.B., see Luo, Y. (769) 287
Hirata, H., see Mann, H. (769) 340
Homma-Takeda, S., see Kumagai, Y. (769) 178
Horton, R.W., see Bowden, C. (769) 135
Huang, C.-S., see Nagata, K. (769) 211

Ishihara, K., see Matsuda, S. (769) 321
Iso, H., see Akita, H. (769) 86
Iturriaga, R., see Roy, A. (769) 396
Iwasaki, K., see Luo, Y. (769) 287

Jabbur, S.J., see Saadé, N.E. (769) 57
Juliano, L., see Lopes, E.S. (769) 152

Kabler, S., see Lutz, P.L. (769) 281
Kanaan, S.A., see Saadé, N.E. (769) 57
Karasawa, Y., see Matsuda, S. (769) 321
Katona, C.L.E., see Bowden, C. (769) 135
Kawai, M., see Takeda, A. (769) 193
Kim, E.-M., Kotz, C.M., Welch, C.C., Grace, M.K., Billington, C.J. and Levine, A.S.
Lactation decreases mRNA levels of opioid peptides in the arcuate nucleus of the rat (769) 303
Kohama, S.G. and Urbanski, H.F.
Distribution of glutamate receptor subunits in the primate temporal cortex and hippocampus (769) 44
Koistinaho, J., see Kurkinen, K.M.A. (769) 21
Kotz, C.M., see Kim, E.-M. (769) 303
Kriegsfeld, L.J., Dawson, T.M., Dawson, V.L., Nelson, R.J. and Snyder, S.H.
Aggressive behavior in male mice lacking the gene for neuronal nitric oxide synthase requires testosterone (769) 66
Kuhn, P.E., see Miller, M.W. (769) 233
Kumagai, Y., Mizukado, S., Nagafune, J., Shinyashiki, M., Homma-Takeda, S. and Shimojo, N.
Post-transcriptional elevation of mouse brain Mn-SOD protein by mercuric chloride (769) 178
Kurkinen, K.M.A., Koistinaho, J. and Laitinen, J.T.
[γ-^{35}S]GTP autoradiography allows region-specific detection of muscarinic receptor-dependent G-protein activation in the chick optic tectum (769) 21

Ladenheim, B., see Mann, H. (769) 340
Lahiri, S., see Roy, A. (769) 396
Laitinen, J.T., see Kurkinen, K.M.A. (769) 21
Lee, K.S., see Chen, Z.-F. (769) 188
Levine, A.S., see Kim, E.-M. (769) 303
Li, Q., Battaglia, G. and Van de Kar, L.D.
Autoradiographic evidence for differential G-protein coupling of 5-HT$_{1A}$ receptors in rat brain: lack of effect of repeated injections of fluoxetine (769) 141
Li, R., see Shen, Y. (769) 391
Liang, Y. and Carr, L.G.
Transcription of the mouse μ-opioid receptor gene is regulated by two promoters (769) 372
Lisá, V., see Doležal, V. (769) 219
Lopes, E.S., Sumitani, M., Juliano, L., Beraldo, W.T. and Pesquero, J.L.
Distribution of tonin- and kallikrein-like activities in rat brain (769) 152
López, L., Lorente, L., Arias, J., González-Pardo, H., Cimadevilla, J. and Arias, J.L.

ELSEVIER

Brain Research 769 (1997) 400–402

BRAIN RESEARCH

Author Index

Abou Jaoude, P.G., see Saadé, N.E. (769) 57
Aguayo, L.G., see Tapia, J.C. (769) 203
Akita, H., Matsuyama, T., Iso, H., Sugita, M. and Yoshida, S.
Effects of oxidative stress on the expression of limbic-specific protease neuropsin and avoidance learning in mice (769) 86
Ameri, A.
Structure-dependent differences in the effects of the *Aconitum* alkaloids lappaconitine, *N*-desacetyllappaconitine and lappaconidine in rat hippocampal slices (769) 36
Araki, H., see Matsuda, S. (769) 321
Arias, J., see López, L. (769) 367
Arias, J.L., see López, L. (769) 367
Atapour, N., see Mansouri, F.A. (769) 119
Atweh, S.F., see Saadé, N.E. (769) 57
Aymard, P., see Poenaru, S. (769) 329

Bajenaru, O., see Poenaru, S. (769) 329
Battaglia, G., see Li, Q. (769) 141
Beaudet, L.N., see Schmidt, R.E. (769) 375
Beraldo, W.T., see Lopes, E.S. (769) 152
Berger, A.J., see Parkis, M.A. (769) 108
Bicker, G., see Seidel, C. (769) 273
Billington, C.J., see Kim, E.-M. (769) 303
Bjursten, L.M., see Zhao, Q. (769) 125
Blessing, W.W., see Zhu, B.-S. (769) 168
Bonfiglio, L., see Sartucci, F. (769) 362
Bowden, C., Cheetham, S.C., Lowther, S., Katona, C.L.E., Crompton, M.R. and Horton, R.W.
Reduced dopamine turnover in the basal ganglia of depressed suicides (769) 135

Cadet, J.L., see Mann, H. (769) 340
Caldarola-Pastuszka, M., see Maswood, N. (769) 13
Calvet, M.-C., see Petite, D. (769) 1
Caprio, J., see Ogawa, K. (769) 263
Carr, L.G., see Liang, Y. (769) 372
Cebrián, J.L., Morán, M.A. and Gómez-Ramos, P.
Association of cholinesterases with amyloid in extracellular neurofibrillary tangles (769) 173
Chase, M.H., see Zhang, J.-H. (769) 196
Cheetham, S.C., see Bowden, C. (769) 135
Chen, Z.-F., Schottler, F. and Lee, K.S.
Neuronal recovery after moderate hypoxia is improved by the calpain inhibitor MDL28170 (769) 188
Churchill, J.D., see Sengelaub, D.R. (769) 256
Cimadevilla, J., see López, L. (769) 367
Coe, C.L., see Reyes, T.M. (769) 29
Cohen, S.M. and Nadler, J.V.
Proline-induced inhibition of glutamate release in hippocampal area CA1 (769) 333
Crompton, M.R., see Bowden, C. (769) 135

Dahlin, L.B., see Zhao, Q. (769) 125
Dall'ava, J., see Poenaru, S. (769) 329
Danielsen, N., see Zhao, Q. (769) 125
Dawson, T.M., see Kriegsfeld, L.J. (769) 66
Dawson, V.L., see Kriegsfeld, L.J. (769) 66
Del Seppia, C., see Sartucci, F. (769) 362
Di Paolo, O.A., see Rosso, S.B. (769) 163
Doležal, V., Lisá, V. and Tuček, S.
Effect of tacrine on intracellular calcium in cholinergic SN56 neuronal cells (769) 219
Dorsey, D.A., see Schmidt, R.E. (769) 375
Duffard, R., see Rosso, S.B. (769) 163
Durlach, J., see Poenaru, S. (769) 329

Emmanouillidis, E., see Poenaru, S. (769) 329
Espinoza, F., see Tapia, J.C. (769) 203
Evangelista de Duffard, A.M., see Rosso, S.B. (769) 163
Evans, P.D., see Reale, V. (769) 309

Fathollahi, Y., see Mansouri, F.A. (769) 119

Garraghty, P.E., see Sengelaub, D.R. (769) 256
Ghione, S., see Sartucci, F. (769) 362
Gibbins, I.L., see Zhu, B.-S. (769) 168
Gómez-Ramos, P., see Cebrián, J.L. (769) 173
González-Pardo, H., see López, L. (769) 367
Grace, M.K., see Kim, E.-M. (769) 303
Gueux, E., see Poenaru, S. (769) 329

Hamoui, S., see Saadé, N.E. (769) 57
Hanada, K., see Ochi, K. (769) 183
Hannan, F., see Reale, V. (769) 309
Hawver, D.B., see Luo, Y. (769) 287
Hirata, H., see Mann, H. (769) 340
Homma-Takeda, S., see Kumagai, Y. (769) 178
Horton, R.W., see Bowden, C. (769) 135
Huang, C.-S., see Nagata, K. (769) 211

Ishihara, K., see Matsuda, S. (769) 321
Iso, H., see Akita, H. (769) 86
Iturriaga, R., see Roy, A. (769) 396
Iwasaki, K., see Luo, Y. (769) 287

Jabbur, S.J., see Saadé, N.E. (769) 57
Juliano, L., see Lopes, E.S. (769) 152

Kabler, S., see Lutz, P.L. (769) 281
Kanaan, S.A., see Saadé, N.E. (769) 57
Karasawa, Y., see Matsuda, S. (769) 321
Katona, C.L.E., see Bowden, C. (769) 135
Kawai, M., see Takeda, A. (769) 193
Kim, E.-M., Kotz, C.M., Welch, C.C., Grace, M.K., Billington, C.J. and Levine, A.S.
Lactation decreases mRNA levels of opioid peptides in the arcuate nucleus of the rat (769) 303
Kohama, S.G. and Urbanski, H.F.
Distribution of glutamate receptor subunits in the primate temporal cortex and hippocampus (769) 44
Koistinaho, J., see Kurkinen, K.M.A. (769) 21
Kotz, C.M., see Kim, E.-M. (769) 303
Kriegsfeld, L.J., Dawson, T.M., Dawson, V.L., Nelson, R.J. and Snyder, S.H.
Aggressive behavior in male mice lacking the gene for neuronal nitric oxide synthase requires testosterone (769) 66
Kuhn, P.E., see Miller, M.W. (769) 233
Kumagai, Y., Mizukado, S., Nagafune, J., Shinyashiki, M., Homma-Takeda, S. and Shimojo, N.
Post-transcriptional elevation of mouse brain Mn-SOD protein by mercuric chloride (769) 178
Kurkinen, K.M.A., Koistinaho, J. and Laitinen, J.T.
[γ-^{35}S]GTP autoradiography allows region-specific detection of muscarinic receptor-dependent G-protein activation in the chick optic tectum (769) 21

Ladenheim, B., see Mann, H. (769) 340
Lahiri, S., see Roy, A. (769) 396
Laitinen, J.T., see Kurkinen, K.M.A. (769) 21
Lee, K.S., see Chen, Z.-F. (769) 188
Levine, A.S., see Kim, E.-M. (769) 303
Li, Q., Battaglia, G. and Van de Kar, L.D.
Autoradiographic evidence for differential G-protein coupling of 5-HT$_{1A}$ receptors in rat brain: lack of effect of repeated injections of fluoxetine (769) 141
Li, R., see Shen, Y. (769) 391
Liang, Y. and Carr, L.G.
Transcription of the mouse μ-opioid receptor gene is regulated by two promoters (769) 372
Lisá, V., see Doležal, V. (769) 219
Lopes, E.S., Sumitani, M., Juliano, L., Beraldo, W.T. and Pesquero, J.L.
Distribution of tonin- and kallikrein-like activities in rat brain (769) 152
López, L., Lorente, L., Arias, J., González-Pardo, H., Cimadevilla, J. and Arias, J.L.

Changes of cytochrome oxidase activity in rat suprachiasmatic nucleus (769) 367
Lorente, L., see López, L. (769) 367
Loscertales, M., Rose, S.P.R. and Sandi, C.
The corticosteroid synthesis inhibitors metyrapone and aminoglutethimide impair long-term memory for a passive avoidance task in day-old chicks (769) 357
Löscher, W., see Richter, A. (769) 296
Lowther, S., see Bowden, C. (769) 135
Lundborg, G., see Zhao, Q. (769) 125
Luo, Y., Hawver, D.B., Iwasaki, K., Sunderland, T., Roth, G.S. and Wolozin, B.
Physiological levels of β-amyloid peptide stimulate protein kinase C in PC12 cells (769) 287
Luschi, P., see Sartucci, F. (769) 362
Lutz, P.L. and Kabler, S.
Release of adenosine and ATP in the brain of the freshwater turtle (*Trachemys scripta*) during long-term anoxia (769) 281

Maeda, T., see Ochi, K. (769) 183
Manicom, R., see Poenaru, S. (769) 329
Mann, H., Ladenheim, B., Hirata, H., Moran, T.H. and Cadet, J.L.
Differential toxic effects of methamphetamine (METH) and methylenedioxymethamphetamine (MDMA) in multidrug-resistant (mdr1a) knockout mice (769) 340
Mansouri, F.A., Motamedi, F., Fathollahi, Y., Atapour, N. and Semnanian, S.
Augmentation of LTP induced by Primed–Bursts tetanic stimulation in hippocampal CA1 area of morphine dependent rats (769) 119
Marui, T., see Ogawa, K. (769) 263
Maswood, N., Caldarola-Pastuszka, M. and Uphouse, L.
5-HT_3 receptors in the ventromedial nucleus of the hypothalamus and female sexual behavior (769) 13
Matsuda, S., Wen, T.-C., Karasawa, Y., Araki, H., Otsuka, H., Ishihara, K. and Sakanaka, M.
Protective effect of a prostaglandin I_2 analog, TEI-7165, on ischemic neuronal damage in gerbils (769) 321
Matsuyama, T., see Akita, H. (769) 86
McGeer, E.G., see Shen, Y. (769) 391
McGeer, E.G., see Terai, K. (769) 385
McGeer, P.L., see Shen, Y. (769) 391
McGeer, P.L., see Terai, K. (769) 385
Midgley, J.M., see Reale, V. (769) 309
Miller, A.D., see Umezaki, T. (769) 347
Miller, M.W. and Kuhn, P.E.
Neonatal transection of the infraorbital nerve increases the expression of proteins related to neuronal death in the principal sensory nucleus of the trigeminal nerve (769) 233
Mills, A.C., see Sengelaub, D.R. (769) 256
Mizukado, S., see Kumagai, Y. (769) 178
Mokashi, A., see Roy, A. (769) 396
Morales, F.R., see Zhang, J.-H. (769) 196
Morán, M.A., see Cebrián, J.L. (769) 173
Moran, T.H., see Mann, H. (769) 340
Motamedi, F., see Mansouri, F.A. (769) 119
Muja, N., see Sengelaub, D.R. (769) 256
Müller, M. and Schlue, W.-R.
Single potassium channels in neuropile glial cells of the leech central nervous system (769) 245
Murphy, L.J., see Ni, W. (769) 97
Murri, L., see Sartucci, F. (769) 362
Myers, W.A., see Sengelaub, D.R. (769) 256

Nabetani, M., Okada, Y., Takata, T., Takada, S. and Nakamura, H.
Neural activity and intracellular Ca^{2+} mobilization in the CA1 area of hippocampal slices from immature and mature rats during ischemia or glucose deprivation (769) 158
Nadler, J.V., see Cohen, S.M. (769) 333
Nagafune, J., see Kumagai, Y. (769) 178
Nagata, K., Huang, C.-S., Song, J.-H. and Narahashi, T.
Direct actions of anticholinesterases on the neuronal nicotinic acetylcholine receptor channels (769) 211
Nagy, J.I., see Ni, W. (769) 97
Nakamura, H., see Nabetani, M. (769) 158
Narahashi, T., see Nagata, K. (769) 211
Nelson, R.J., see Kriegsfeld, L.J. (769) 66
Ni, W., Rajkumar, K., Nagy, J.I. and Murphy, L.J.
Impaired brain development and reduced astrocyte response to injury in transgenic mice expressing IGF binding protein-1 (769) 97
Nkanga, N., see Poenaru, S. (769) 329

Ochi, K., Wakisaka, S., Youn, S.H., Hanada, K. and Maeda, T.
Calretinin-like immunoreactivity in the Ruffini endings, slowly adapting mechanoreceptors, of the periodontal ligament of the rat incisor (769) 183
Ogawa, K., Marui, T. and Caprio, J.
Quinine suppression of single facial taste fiber responses in the channel catfish (769) 263
Okada, S., see Takeda, A. (769) 193
Okada, Y., see Nabetani, M. (769) 158
Otsuka, H., see Matsuda, S. (769) 321

Papi, F., see Sartucci, F. (769) 362
Parkis, M.A. and Berger, A.J.
Clonidine reduces hyperpolarization-activated inward current (I_h) in rat hypoglossal motoneurons (769) 108
Partridge, B., see Schenk, S. (769) 225
Pesquero, J.L., see Lopes, E.S. (769) 152
Petite, D. and Calvet, M.-C.
Morphometric characteristics of cryopreserved mesencephalic dopamine neurons in culture (769) 1
Plurad, S.B., see Schmidt, R.E. (769) 375
Poenaru, S., Manicom, R., Rouhani, S., Aymard, P., Bajenaru, O., Rayssiguier, Y., Emmanouillidis, E., Gueux, E., Nkanga, N., Durlach, J. and Dall'ava, J.
Stability of brain content of magnesium in experimental hypomagnesemia (769) 329
Rajkumar, K., see Ni, W. (769) 97
Rayssiguier, Y., see Poenaru, S. (769) 329
Reale, V., Hannan, F., Midgley, J.M. and Evans, P.D.
The expression of a cloned *Drosophila* octopamine/tyramine receptor in *Xenopus* oocytes (769) 309
Reyes, T.M. and Coe, C.L.
Prenatal manipulations reduce the proinflammatory response to a cytokine challenge in juvenile monkeys (769) 29
Richter, A. and Löscher, W.
MK-801 potentiates antidystonic effects of clozapine but not of haloperidol in mutant dystonic hamsters (769) 296
Rose, S.P.R., see Loscertales, M. (769) 357
Rosso, S.B., Di Paolo, O.A., Evangelista de Duffard, A.M. and Duffard, R.
Effects of 2,4-dichlorophenoxyacetic acid on central nervous system of developmental rats. Associated changes in ganglioside pattern (769) 163
Roth, G.S., see Luo, Y. (769) 287
Rouhani, S., see Poenaru, S. (769) 329
Roy, A., Rozanov, C., Iturriaga, R., Mokashi, A. and Lahiri, S.
Acid-sensing by carotid body is inhibited by blockers of voltage-sensitive Ca^{2+} channels (769) 396
Rozanov, C., see Roy, A. (769) 396

Saadé, N.E., Abou Jaoude, P.G., Saadeh, F.A., Hamoui, S., Safieh-Garabedian, B., Kanaan, S.A., Atweh, S.F. and Jabbur, S.J.
Fos-like immunoreactivity induced by intraplantar injection of endotoxin and its reduction by morphine (769) 57
Saadeh, F.A., see Saadé, N.E. (769) 57
Safieh-Garabedian, B., see Saadé, N.E. (769) 57
Sakanaka, M., see Matsuda, S. (769) 321
Sampogna, S., see Zhang, J.-H. (769) 196
Sandi, C., see Loscertales, M. (769) 357
Sartucci, F., Bonfiglio, L., Del Seppia, C., Luschi, P., Ghione, S., Murri, L. and Papi, F.
Changes in pain perception and pain-related somatosensory evoked potentials in humans produced by exposure to oscillating magnetic fields (769) 362
Schenk, S. and Partridge, B.
Effects of acute and repeated administration of *N*-methyl-D-aspartate (NMDA) into the ventral tegmental area: locomotor activating effects of NMDA and cocaine (769) 225
Schlue, W.-R., see Müller, M. (769) 245
Schmidt, R.E., Beaudet, L.N., Plurad, S.B. and Dorsey, D.A.
Axonal cytoskeletal pathology in aged and diabetic human sympathetic autonomic ganglia (769) 375
Schottler, F., see Chen, Z.-F. (769) 188
Seidel, C. and Bicker, G.
Colocalization of NADPH-diaphorase and GABA-immunoreactivity in the olfactory and visual system of the locust (769) 273

Semnanian, S., see Mansouri, F.A. (769) 119
Sengelaub, D.R., Muja, N., Mills, A.C., Myers, W.A., Churchill, J.D. and Garraghty, P.E.
Denervation-induced sprouting of intact peripheral afferents into the cuneate nucleus of adult rats (769) 256
Shen, Y., Li, R., McGeer, E.G. and McGeer, P.L.
Neuronal expression of mRNAs for complement proteins of the classical pathway in Alzheimer brain (769) 391
Shiba, K., see Umezaki, T. (769) 347
Shimojo, N., see Kumagai, Y. (769) 178
Shinyashiki, M., see Kumagai, Y. (769) 178
Snyder, S.H., see Kriegsfeld, L.J. (769) 66
Song, J.-H., see Nagata, K. (769) 211
Stewart, M.
Antidromic and orthodromic responses by subicular neurons in rat brain slices (769) 71
Sugita, M., see Akita, H. (769) 86
Sumitani, M., see Lopes, E.S. (769) 152
Sunderland, T., see Luo, Y. (769) 287

Takada, S., see Nabetani, M. (769) 158
Takata, T., see Nabetani, M. (769) 158
Takeda, A., Kawai, M. and Okada, S.
Zinc distribution in the brain of Nagase analbuminemic rat and enlargement of the ventricular system (769) 193
Tapia, J.C., Espinoza, F. and Aguayo, L.G.
Differential intracellular regulation of cortical $GABA_A$ and spinal glycine receptors in cultured neurons (769) 203
Terai, K., Walker, D.G., McGeer, E.G. and McGeer, P.L.
Neurons express proteins of the classical complement pathway in Alzheimer disease (769) 385
Tuček, S., see Doležal, V. (769) 219

Umezaki, T., Zheng, Y., Shiba, K. and Miller, A.D.
Role of nucleus retroambigualis in respiratory reflexes evoked by superior laryngeal and vestibular nerve afferents and in emesis (769) 347
Uphouse, L., see Maswood, N. (769) 13
Urbanski, H.F., see Kohama, S.G. (769) 44

Van de Kar, L.D., see Li, Q. (769) 141

Wakisaka, S., see Ochi, K. (769) 183
Walker, D.G., see Terai, K. (769) 385
Welch, C.C., see Kim, E.-M. (769) 303
Wen, T.-C., see Matsuda, S. (769) 321
Wolozin, B., see Luo, Y. (769) 287

Yoshida, S., see Akita, H. (769) 86
Youn, S.H., see Ochi, K. (769) 183

Zhang, J.-H., Sampogna, S., Morales, F.R. and Chase, M.H.
Age-related alterations in immunoreactivity of the midsized neurofilament subunit in the brainstem reticular formation of the cat (769) 196
Zhao, Q., Lundborg, G., Danielsen, N., Bjursten, L.M. and Dahlin, L.B.
Nerve regeneration in a 'pseudo-nerve' graft created in a silicone tube (769) 125
Zheng, Y., see Umezaki, T. (769) 347
Zhu, B.-S., Gibbins, I.L. and Blessing, W.W.
Preganglionic parasympathetic neurons projecting to the sphenopalatine ganglion contain nitric oxide synthase in the rabbit (769) 168